

Poster Session 1 (Day 1)

P-01 A molecular dynamics study on the molecular recognition and a challenge to drug design

Takefumi Yamashita
The University of Tokyo

P-02 Calculation of temperature dependent diffusion of H across Ni(111) using a novel ensemble potential energy surface approach

A. R. Hopkinson and M. I. J. Probert
University of York

P-03 Sacrificial Anion Reduction Mechanism for Electrochemical Stability Improvement in Highly Concentrated Li-salt Electrolyte

Keitaro Sodeyama^{A,B}, Yuki Yamada^{A,C}, Atsuo Yamada^{A,C}, and Yoshitaka Tateyama^{A,B,D}
Kyoto University^A, NIMS^B, The University of Tokyo^C, JST-PRESTO and CREST^D

P-04 Symplectic Time Integrator with Transformed Canonical Variables

Atsushi M. Ito
National Institute for Fusion Science

P-05 Double-QM/MM Method for Investigating Donor-Acceptor Electron Transfer in Solution

Zdenek Futera^{A,B,C}, Keitaro Sodeyama^{B,D}, and Yoshitaka Tateyama^{B,C,D,E}
Keio University^A, NIMS^B, CREST^C, Kyoto University^D, PRESTO, JST^E

P-06 DFT-MD blue-moon ensemble study on reductive decomposition of carbonated-based solvent in lithium ion battery

Yoshitaka Tateyama^{A,B,C}, Keisuke Ushirogata^D, Keitaro Sodeyama^{A,B}, & Yukihiro Okuno^D
NIMS^A, Kyoto University^B, PRESTO, JST^C, FUJIFILM Corporation^D

P-07 Reaction between CO₂ and 2-Aminoethanol in Aqueous Solution

Yoshiyuki Kubota^A, Toshiharu Ohnuma^B, and Tomáš Bučko^C
The Kansai Electric Power Company., Inc.^A, Central Research Institute of Electric Power Industry^B, Comenius University^C

P-08 Molecular Dynamics Simulation of Sum Frequency Generation Spectra at Water and Aqueous Surfaces

Tatsuya Ishiyama^A and Akihiro Morita^B
University of Toyama^A, Tohoku University^B

P-09 Boundary based on exchange symmetry theory: A QM/MM method for open systems

Motoyuki Shiga^A and Marco Masia^B
Japan Atomic Energy Agency^A, University of Sassari^B

P-10 Theoretical study of the molecular interactions in secondary structures of proteins

Yu Takano^{A,B}, Ayumi Kusaka^A, and Haruki Nakamura^A
Osaka University^A, JST-CREST^B

P-11 Universal Medium-Range Order of Amorphous Metal Oxides

Kengo Nishio, Takehide Miyazaki and Hisao Nakamura
National Institute of Advanced Industrial Science and Technology (AIST)

P-12 A characterization of the amorphous silica structure by persistent homology

Takenobu Nakamura^A, Yasuaki Hiraoka^B, Akihiko Hirata^A, Emerson Escolor^B, Kaname Matsue^C and Yasumasa Nishiura^A
Tohoku University^A, Kyushu University^B, The Institute of Statistical Mathematics^C

- P-13 Molecular Dynamics Study of Aggregation Mechanism of SDS Micelle**
Noriyuki Yoshii, Shinji Kawada, Kazushi Fujimoto, and Susumu Okazaki
Nagoya University
- P-14 Analysis for the structural stability of chignolin**
Yutaka Maruyama, and Ayori Mitsutake
Keio University
- P-15 Phase Diagram for a Lennard-Jones System Obtained through Constant-Pressure Molecular Dynamics Simulations**
Yosuke KATAOKA^A and Yuri YAMADA^B
Hosei University^{A)}, Tokyo Denki University^{B)}
- P-16 Monte Carlo simulation of chiral liquid crystals with large pitch distances**
Paul Brumby and Kenji Yasuoka
Keio University
- P-17 Melting phenomena of the modified Lennard-Jones system**
Yuta Asano^A, Kazuhiro Fuchizaki^B, and Nobuyasu Ito^{A, C}
RIKEN AICS^{A)}, Ehime University^{B)}, The University of Tokyo^{C)}
- P-18 Potential Development of Borate Crystals, Glasses and Melts Based on First-Principles Calculation**
Yoshiki Ishii^A, Kohei Kasahara^A, Norikazu Ohtori^A, Koichi Shiraki^B, Mathieu Salanne^C, and Paul A. Madden^D
Niigata University^{A)}, Nippon Sheet Glass Co. Ltd.^{B)}, UPMC Univ Paris 06 and CNRS^{C)}, University of Oxford^{D)}
- P-19 Concentration Dependency Research of Amyloid-Forming Peptides by Using Molecular Dynamics Simulations**
Naohiro NISHIKAWA^{A, B}, Yoshitake SAKAE^A, and Yuko OKAMOTO^A
Nagoya Univ.^{A)}, Institute for Molecular Science^{B)}
- P-20 Photophysics of fulvene under the non-resonant Stark effect. Shaping the conical intersection seam**
Sergi Ruiz-Barragan and Lluís Blancafort
Universitat de Girona
- P-21 Random Matrix Theory and Higher Order Principal Component Analysis of Protein-Ligand Interaction by Molecular Dynamics Simulation**
Masanori Yamanaka
Nihon University
- P-22 Two-Temperature Langevin Dynamics in Laser-Ablated Metals**
Yasushi Takéuchi^A, Atsushi Sunahara^A, and Katsunobu Nishihara^B
Institute for Laser Technology^{A)}, Osaka University^{B)}
- P-23 Mass scaling in replica-exchange method with the Nosé-Hoover thermostat**
Tetsuro Nagai and Takuya Takahashi
Ritsumeikan University
- P-24 Multiscale model for AFM using MD/continuum coupling method**
Yasuhiro Senda^A, Shuji Shimamura^A, Janne Blomqvist^B and Risto Nieminen^B
Yamaguchi Univ.^{A)}, Aalto Univ.^{B)}
- P-25 μ^2 lib: a library for developing multicopy and multiscale molecular dynamics simulation programs**
Tohru Terada^A, Kei Moritsugu^B, Yasuhiro Matsunaga^C, and Akinori Kidera^B
The University of Tokyo^{A)}, Yokohama City University^{B)}, RIKEN^{C)}

- P-26 Dimerization of A β fragments by the Hamiltonian replica-permutation method**
Satoru G. Itoh ^{A,B} and Hisashi Okumura ^{A,B}
Institute for Molecular Science ^A), The Graduate University of Advanced Studies ^{B)}
- P-27 Molecular Dynamics Simulation of Shiga Toxin**
Kazumi Omata ^A, Yoshiharu Mori ^B, Hisashi Okumura ^{B,C}, and Kiyotaka Nishikawa ^D
National Center for Global Health and Medicine ^A), Institute for Molecular Science ^{B)},
The Graduate University for Advanced Studies ^{C)}, Doshisha University ^{D)}
- P-28 Metadynamics Study on Z/E-Thermal Isomerization of Azobenzenes under high pressure**
Y. Shigemitsu ^{1,2} and Y. Ohga ³
¹Industrial Technology Center of Nagasaki, ²Nagasaki University, ³Oita University
- P-29 Huge-Scale Molecular Dynamics Simulation of Multi-bubble Nuclei**
Hiroshi Watanabe
The University of Tokyo
- P-30 Theoretical design of novel copper doped gold cluster by Car-Parrinello molecular dynamics**
Kenichi Koizumi ^{A,B}, Mauro Boero ^C, and Katsuyuki Nobusada ^C
IMS ^A), ESICB ^{B)}, IPCMS ^{C)}
- P-31 Free energy surface of Water Confined in Slit Pores**
Toshihiro Kaneko ¹, Jaeil Bai ², Kenji Yasuoka ³, Ayori Mitsutake ³ and Xiao Cheng Zeng ²
¹Tokyo University of Science, ² University of Nebraska-Lincoln, ³Keio University
- P-32 Thermal Stability of Gramicidin A in Lipid Bilayer: A Free Energy Analysis**
Hiroaki Saito
Kanazawa University
- P-33 Energy Landscape of All-atom Protein-protein Interactions Revealed by Multiscale Enhanced Sampling**
Kei Moritsugu ^{A*}, Tohru Terada ^B, and Akinori Kidera ^A
Yokohama City University ^{A)}, The University of Tokyo ^{B)}
- P-34 Molecular Dynamics Simulation of Pool Boiling of a Lennard-Jones Liquid**
Hajime Inaoka ^A and Nobuyasu Ito ^{B,A}
RIKEN ^{A)}, The University of Tokyo ^{B)}
- P-35 Preference of Water and Methanol Molecules Flowing into Carbon Nanotubes under Influence of Electric Field**
Winarto, Daisuke Takaiwa, Eiji Yamamoto, and Kenji Yasuoka
Keio University

Poster Session 2 (Day 2)

- P-36 Alchemical free energy calculation for theophylline-RNA aptamer complex**
Yoshiaki Tanida and Azuma Matsuura
Fujitsu Laboratories Ltd.
- P-37 Dissociation Free-Energy Profiles of Specific and Nonspecific DNA-Protein Complexes**
Yoshiteru Yonetani
Japan Atomic Energy Agency
- P-38 Comparison of conserved water molecules in rhodopsin and opsin: Molecular dynamics study**
Katsufumi Tomobe^A, Eiji Yamamoto^A, Kholmurzo Kholmurodov^B and Kenji Yasuoka^A
Keio University^A, Joint Institute for Nuclear Research^B
- P-39 Nonequilibrium molecular dynamics simulations of amyloid fibril disruption by ultrasonic cavitation**
Hisashi Okumura^{A,B} and Satoru G. Itoh^{A,B}
Institute for Molecular Science^A, The Graduate University for Advanced Studies^B
- P-40 Molecular dynamics study of glycolipids/lipids membrane with Coarse-Grained Model**
Kento Inoue, Daisuke Takaiwa, Kenji Yasuoka, and Masuhiro Mikami
Keio University
- P-41 Numerical assessments of the replica-permutation molecular dynamics with and without detailed balance condition**
Hiroaki Nishizawa^A and Hisashi Okumura^{A,B}
Institute for Molecular Science^A, The Graduate University for Advanced Studies^B
- P-42 Sparse representation for a potential energy surface**
Atsuto Seko, Akira Takahashi and Isao Tanaka
Kyoto University
- P-43 Effect of electrodes as a device of extended environment on electrostatics**
Nobuyuki Takahashi
Hokkaido University of Education
- P-44 The water model dependency of the melting point of hexagonal ice**
Daisuke Takaiwa^A, Ryuji Sakamaki^A, Amadeu K. Sum^B, Tetsu Narumi^C, and Kenji Yasuoka^A
Keio University^A, Colorado School of Mines^B, University of Electro-Communications^C
- P-45 Membrane Fusion: Free Energy Analysis**
Wataru Shinoda^A, Shuhei Kawamoto^{A,B}, and Michael L. Klein^B
Nagoya University^A, Temple University^B
- P-46 New code for phonon anharmonic effects analysis of MD trajectories**
Abel Carreras, Atsushi Togo, and Isao Tanaka
Kyoto University
- P-47 Systematic first-principles lattice thermal conductivity calculations**
Atsushi Togo and Isao Tanaka
Kyoto University

- P-48 Searching of the dense packing state of hard-sphere systems by using the Wang-Landau sampling**
Tomoaki Nogawa
Toho University
- P-49 Molecular dynamics simulation study of helium diffusion behavior in defective tungsten material**
A. Takayama ^A, A. M. Ito ^A, Y. Oda ^A, and H. Nakamura ^{A,B}
National Institute for Fusion Science ^A, Nagoya University ^B
- P-50 Evaluation of the thermal motion of the hydrogen bonds in cellulose crystals using Car-Parrinello molecular dynamics simulation**
Daichi HAYAKAWA ^A, Kazuyoshi UEDA ^A, Karim MAZEAU ^B and Yoshiharu NISHIYAMA ^B
Yokohama National University ^A, CERMAV, CNRS ^B
- P-51 Connectivity Altering Monte Carlo - An Accurate and Effective Sampling Method for Polymer Melts**
Krzysztof Moorthi ^A, Kazunori Kamio ^B, Javier Ramos ^C and Doros N. Theodorou ^D
^A Mitsui Chemicals, Inc., ^B MC Analysis and Consulting Service, ^C IEM CSIC, ^D National Technical University of Athens
- P-52 Structural analysis of telechelic polymer solution using dissipative particle dynamics simulations**
Noriyoshi Arai
Kinki University
- P-53 Stable and Efficient Linear Scaling First-Principles Molecular Dynamics for 10,000+ atoms**
M. Arita ^{A,B}, D. R. Bowler ^{C,D,E}, and T. Miyazaki ^{A,B}
Tokyo University of Science ^A, National Institute for Materials Science (NIMS) ^B, University College London (UCL) ^C, London Centre for Nanotechnology, UCL ^D, International Center for Materials Nanoarchitectonics (MANA), NIMS ^E
- P-54 Development of variational path integral molecular dynamics method with applications to molecular systems**
Shinichi Miura
Kanazawa University
- P-55 Replica deterministic exchange molecular dynamics and its application to biomolecular simulations**
Ryo URANO and Yuko OKAMOTO
Nagoya University
- P-56 Extended Study on Molecular Dynamics of Methane Hydrate Nucleation**
D. Yuhara ^A, D. Suh ^A, B.C. Barnes ^B, D.T. Wu ^B, A.K. Sum ^B, and K. Yasuoka ^A
Keio University ^A, Colorado School of Mines ^B
- P-57 DFT study of Ti³⁺ states near oxygen vacancy on TiO₂ (110): a new interpretation of STM**
Taizo Shibuya ^A, Kenji Yasuoka ^A, Susanne Mirbt ^B and Biplab Sanyal ^B
Keio University ^A, Uppsala University ^B
- P-58 Simulated Tempering Molecular Dynamics Simulations using the Metropolis, Heat bath, or Suwa-Todo Algorithm**
Yoshiharu Mori ^A and Hisashi Okumura ^{A,B}
Institute for Molecular Science ^A, The Graduate University for Advanced Studies ^B
- P-59 On the comparison of different barostat implementations for the prediction of the breathing behavior in MIL-53 frameworks**
S. Rogge ^A, L. Vanduyfhuys ^A, T. Verstraelen ^A, G. Maurin ^B, and V. Van Speybroeck ^A
Ghent University ^A, Institut Charles Gerhardt Montpellier ^B

- P-60 Coarse-grained model of membrane protein**
Shuhei Kawamoto ^{A,B}, Giacomo Fiorin ^A, Chris MacDeraid ^A, Russell Devane ^C, Wataru Shinoda ^B, and Michael L. Klein ^A
Temple University ^A, Nagoya University ^B, P&G ^C
- P-61 Properties and perspectives of first-principles logarithmic mean force dynamics**
Tatsuki Oda ^A, Makoto Nakamura ^A, Masao Obata ^A, and Tetsuya Morishita ^B
Kanazawa University ^A, AIST ^(B)
- P-62 Pressure and temperature controlling in generalized isobaric-isothermal ensembles**
Hideo Doi and Kenji Yasuoka
Keio University
- P-63 The effects of handling coulomb interaction on transport characteristic of liquid crystal system**
Takuma Nozawa ^A, Kazuaki Takahashi ^A, Tetsu Narumi ^B and Kenji Yasuoka ^A
Keio University ^A, University of Electro-Communications ^B
- P-64 Vibrational spectra of alcohol molecules in clathrate hydrates**
Masaki Hiratsuka ^A, Ryo Ohmura ^A, Amadeu K. Sum ^B, Saman Alavi ^C, and Kenji Yasuoka ^A
Keio University ^A, Colorado School of Mines ^B, National Research Council of Canada ^C
- P-65 Development of Machine-Learning-Based Interatomic Potential**
Ryo KOBAYASHI, Tomoyuki TAMURA, and Shuji OGATA
Nagoya Institute of Technology
- P-66 Synchronized molecular dynamics simulation via macroscopic heat and momentum transfer for polymer lubrications**
Shugo YASUDA ^A and Ryoichi YAMAMOTO ^B
University of Hyogo ^A, Kyoto University ^B
- P-67 Density of States for 2D Ising Model**
Hisashi Shimizu and Gaku Fukunaga
Shinshu University
- P-68 Origin of $1/f$ fluctuations of number of water molecules on lipid membrane surfaces**
Eiji Yamamoto, Takuma Akimoto, Masato Yasui, and Kenji Yasuoka
Keio University
- P-69 Finite-Precision Periodic Orbits, Thermodynamics, Boltzmann's Constant, and Nonequilibrium Entropy**
Carol Griswold Hoover and William Graham Hoover
Ruby Valley Research Institute
- P-70 Applicability of Kelvin Equation to Vapor-Liquid Coexistence of Water in Nanocylinder**
Toshiki Mima ^A, Ikuya Kinefuchi ^A, Yuta Yoshimoto ^A, Akinori Fukushima ^B, Takashi Tokumasu ^C, Shu Takagi ^A, and Yoichiro Matsumoto ^A
The University of Tokyo ^A, Tokyo University of Agriculture and Technology ^B, Tohoku University ^C